
[JJ] Eveningポスター発表 | セッション記号 A (大気水圏科学) | A-AS 大気科学・気象学・大気環境

[A-AS07] 成層圏・対流圏過程とその気候への影響

コンビーナ: 渡辺 真吾(国立研究開発法人海洋研究開発機構)、河谷 芳雄(国立研究開発法人海洋研究開発機構)、関谷 高志(国立研究開発法人 海洋研究開発機構、共同)、佐藤 薫(東京大学 大学院理学系研究科 地球惑星科学専攻)

2018年5月23日(水) 17:15 ~ 18:30 ポスター会場 (幕張メッセ国際展示場 7ホール)

成層圏・対流圏過程とその気候における役割 (SPARC) は、世界気候研究計画 (WCRP) の主要プロジェクトの一つであり、気候形成・変動における成層圏・対流圏およびその間の相互作用の役割解明を主眼とし、大気化学と大気物理学との密接な連携を一大特徴とする。本セッションでは、近年の国際的動向を踏まえ、大気化学セッションとも密接に連携しながら、新しい大気科学のコミュニティ形成をめざす。成層圏と対流圏の両域に関わる様々な視点からの議論を歓迎する。

[AAS07-P04] Stratospheric age of air in NIES-TM and ACTM

*Hanh Thi Nguyen¹、Dmitry Belikov²、Kentaro Ishijima³、Fumio Hasebe² (1. Graduate School of Environmental Science, Hokkaido University、2. Section of Earth System Science, Faculty of Environmental Earth Science, Hokkaido University、3. Frontier Research Center for Global Change)

The stratospheric response to climate forcing is often unpredictable due to interaction between radiation, dynamics and chemistry. Stratospheric change such as the decadal increase of water vapor in turn drives global scale surface warming (Solomon et al. 2010). The difficulty in studying the stratospheric change is understood by the fact that long-term trend of the strength of Brewer-Dobson circulation (BDC) remains inconsistent between diagnoses in climate models and estimates from tracer observations (Engel et al. 2017). In the present study, we focus on the strength of the BDC commonly quantified by the age of air, the stratospheric transit time since the entry of air from the troposphere. Due to multiple circulation pathways, any air parcel is composed of air elements that have different age, which is expressed by the age spectrum (Kida 1983; Hall and Plumb 1994; Waugh and Hall 2002). The age spectra are estimated by applying the Boundary Impulse Response method (Haine et al. 2008; Li et al. 2012) to the transport fields of National Institute for Environmental Studies Transport Model (NIES TM) driven by JRA-25 and Center for Climate System Research/National Institute for Environmental Studies/Frontier Research Center for Global Change atmospheric general circulation model (AGCM)-based chemistry transport model (ACTM) nudged to ERA-Interim. The age spectra and mean age of stratospheric air are discussed by comparing the results simulated by both models. The effect of nudging on diffusive mixing is being explored by comparing with free run simulations.