

Local variation in thermal inertia around the artificial impact crater on Ryugu

*坂谷 尚哉¹、田中 智²、岡田 達明²、神山 徹³、三浦 昭²、平田 成⁴、千秋 博紀⁵、荒井 武彦⁶、髙生 有理²、出村 裕英⁴、関口 朋彦⁷、滝田 隼⁸、福原 哲哉¹、Müller Thomas⁹、Hagermann Axel¹⁰、Biele Jens¹¹、Grott Matthias¹¹、Hamm Maximillian^{11,12}、Delbo Marco¹³、荒川 政彦¹⁴、小川 和律¹⁵、和田 浩二⁵、門野 敏彦¹⁶、本田 理恵¹⁷、白井 慶¹⁴、佐伯 孝尚²、今村 裕志²、高木 靖彦¹⁸、矢野 創²、早川 雅彦²、澤田 弘崇²、中澤 暁²、杉田 精司¹⁹、諸田 智克¹⁹、山田 学⁵、亀田 真吾¹、巽 瑛理²⁰、横田 康弘²、鈴木 秀彦²¹、吉岡 和夫¹⁹、松岡 萌²、長 勇一郎²

*Naoya Sakatani¹, Satoshi Tanaka², Tatsuaki Okada², Toru Kouyama³, Akira Miura², Naru Hirata⁴, Hiroki Senshu⁵, Takehiko Arai⁶, Yuri Shimaki², Hirohide Demura⁴, Tomohiko Sekiguchi⁷, Jun Takita⁸, Tetsuya Fukuhara¹, Thomas Müller⁹, Axel Hagermann¹⁰, Jens Biele¹¹, Matthias Grott¹¹, Maximillian Hamm^{11,12}, Marco Delbo¹³, Masahiko Arakawa¹⁴, Kazunori Ogawa¹⁵, Koji Wada⁵, Toshihiko Kadono¹⁶, Rie Honda¹⁷, Kei Shirai¹⁴, Takanao Saiki², Hiroshi Imamura², Yasuhiko Takagi¹⁸, Hajime Yano², Masahiko Hayakawa², Hirotaka Sawada², Satoru Nakazawa², Seiji Sugita¹⁹, Tomokatsu Morota¹⁹, Manabu Yamada⁵, Shingo Kameda¹, ERI TATSUMI²⁰, Yasuhiro Yokota², Hidehiko Suzuki²¹, Kazuo Yoshioka¹⁹, Moe Matsuoka², Yuichiro Cho²

1. 立教大学、2. JAXA 宇宙科学研究所、3. 産業技術総合研究所、4. 会津大学、5. 千葉工業大学、6. 足利大学、7. 北海道教育大学、8. 北海道北見高校、9. Max-Planck Institute for Extraterrestrial Physics、10. Luleå University of Technology、11. German Aerospace Center、12. University of Potsdam、13. Observatoire de la Côte d'Azur, CNRS、14. 神戸大学、15. JAXA 国際宇宙探査センター、16. 産業医科大学、17. 高知大学、18. 愛知東邦大学、19. 東京大学、20. Instituto de Astrofisica de Canarias、21. 明治大学

1. Rikkyo University, 2. Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency, 3. National Institute of Advanced Industrial Science and Technology, 4. University of Aizu, 5. Chiba Institute of Technology, 6. Ashikaga University, 7. Hokkaido University of Education, 8. Hokkaido Kitami Hokuto High School, 9. Max-Planck Institute for Extraterrestrial Physics, 10. Luleå University of Technology, 11. German Aerospace Center, 12. University of Potsdam, 13. Observatoire de la Côte d'Azur, CNRS, 14. Kobe University, 15. JAXA Space Exploration Center, Japan Aerospace Exploration Agency, 16. University of Occupational and Environmental Health, 17. Kochi University, 18. Aichi Toho University, 19. University of Tokyo, 20. Instituto de Astrofisica de Canarias, 21. Meiji University

The Hayabusa2 spacecraft has completed the rendezvous phase around Cb-type asteroid Ryugu in 2019. From thermal infrared imaging by TIR, global temperature distribution of Ryugu is consistent with the thermal calculation with thermal inertia of $300 \pm 100 \text{ J m}^{-2} \text{ K}^{-1} \text{ s}^{-0.5}$ [1], and thermal inertia values of the floors of craters are in general roughly comparable with the global average [2]. On the other hand, few small and fresh craters show anomalously low thermal inertia less than $100 \text{ J m}^{-2} \text{ K}^{-1} \text{ s}^{-0.5}$, contributed from the highly porous nature of boulders exposed by the impact cratering [3]. On April 2019, Hayabusa2 performed an artificial impact (Small Carry-on Impactor or SCI) experiment [4], whereby a ~2 kg mass was fired at 2 km/s against the asteroid surface. As a result of the successful operation, an artificial crater (SCI crater) with diameter larger than 10 m was created on the asteroid.

In the preliminary analysis of TIR data of the SCI crater, we suggested no thermally-anomalous materials on the crater floor [3]. In other words, the SCI crater has similar thermal inertia with the global average, and physical properties of the subsurface materials are similar to that of the top surface, at least on the SCI impact site. However, regional difference in the thermal inertia inside and outside the SCI crater have not been discussed. We will present whether the regional variation of the thermophysical properties appears around the SCI craters.

References: [1] Okada et al. (2020), *Nature* 579, 518-522. [2] Shimaki et al. (2020), *Icarus* 348, 113835.
[3] Sakatani et al. (2021), *LPSC* #1832, #2189. [4] Arakawa et al. (2020), *Science* 368, 67-71.